



# Fry Station Solutions

*Supermarkets & Delis  
Restaurants & Cafés • Clubs & Bars*



**GRFF** in optional Brilliant Blue and **UGFF** in optional Glossy Gray *pg. 2*



**GRFFL** with optional 9" display sign holder (sign not included), *Designer Warm Red* color and accessory food pan *pg. 2*



**MPWS-36** shown with optional fry bin insert and scoop holder *pg. 4*



**GRFHS-PT26** with accessory 8 pleat hardcoated fry box ribbon (scoop not included) *pg. 5*



**GRFHS-PTT21** *pg. 5*



**GRFSCS-18** with swing-away post mount, cord with plug and accessory food pan *pg. 5*



**Portable Foodwarmers**

Opt for the versatility of Hatco's Glo-Ray® and Ultra-Glo® Portable Foodwarmers. With heat from above, below or both, these foodwarmers offer design flexibility without sacrificing food product quality. Ideal for use next to fry stations, drive-through windows and service areas that require frequent and easy access.

- Portable – ready to plug in and use
- Versatile – available in many sizes, styles and heat sources to fit your needs
- Flexible – both top and bottom heat available
- Available with incandescent bulbs containing special protective coating to guard against food contamination
- Ceramic heating elements provide more distance between the heat source and the holding pan (UGFF series only)
- Toggle switch is standard; infinite switch optional on GRFF series
- All base heat units (GR-B, GRFFB and UGFFB) have a preset automatic thermostat to maintain consistent temperatures
- GMFFL provides top heat only



**GR-B** Heated Base with accessory sheet pan



**GRFFB** with optional infinite switch and accessory food pans



**UGFFL** in optional Radiant Red Gloss finish with accessory fry ribbon and food pan

**GLO-RAY® PORTABLE FOODWARMERS**

Model	No. of Bulbs	Dimensions W x D x H	Voltage		
			Single Phase Only	Watts	Ship Weight
<b>GR-B</b>	–	12¾" x 22" x 2¼"	120	250	16 lbs.
<b>GRFF</b>	–	12¾" x 24" x 15⅞"	120	500	16 lbs.
<b>GRFFL</b>	2	12¾" x 24" x 15⅞"	120	620	18 lbs.
<b>GRFFB<sup>§</sup></b>	–	12¾" x 24" x 16"-20"	120	750	26 lbs.
<b>GRFFBL<sup>§</sup></b>	2	12¾" x 24" x 16"-20"	120	870	31 lbs.

<sup>§</sup> Standard clearance is 14". Specify 12" or 16" if required.

**All Portable Foodwarmers Feature:**

**Plug:** NEMA 5-15P.

**Models Shipped with:** 6' cord and plug.

**Cord Location:** GR-B, GRFFB, GRFFBL: Back, lower middle.

GRFF, GRFFL: Back, upper middle.

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY® METAL SHEATHED HEATING ELEMENTS.

**ULTRA-GLO® PORTABLE FOODWARMERS WITH CERAMIC ELEMENTS**

Model	No. of Bulbs	Dimensions W x D x H	Voltage		
			Single Phase Only	Watts	Ship Weight
<b>UGFF</b>	–	12¾" x 22¼" x 18⅞"	120	750	15 lbs.
<b>UGFFL</b>	2	12¾" x 22¼" x 18⅞"	120	870	19 lbs.
<b>UGFFB</b>	–	12¾" x 22½" x 22"	120	1000	26 lbs.
<b>UGFFBL</b>	2	12¾" x 22½" x 22"	120	1120	31 lbs.

**All Ceramic Portable Foodwarmers Feature:**

**Plug:** NEMA 5-15P.

**Models Shipped with:** 6' cord and plug.

**Cord Location:** UGFF, UGFFL: Back, upper middle.

UGFFB, UGFFBL: Back, lower middle.

ALL CERAMIC HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.

**OPTIONS AND ACCESSORIES – PAGE 3**





UGFFB with accessory food pan (perforated pans not available)

**OPTIONS** (available at time of purchase only)

**Designer Colors (one color per unit, heated base is not powdercoated) – Non-standard colors are non-returnable – Clear Anodized Standard –**

<b>RED</b>	Warm Red
<b>BLACK</b>	Black
<b>GRAY</b>	Gray Granite
<b>WHITE</b>	White Granite
<b>NAVY</b>	Navy Blue
<b>GREEN</b>	Hunter Green
<b>COPPER</b>	Antique Copper

**Gloss Finishes (one color per unit, heated base is not painted) – Non-standard colors are non-returnable –**

<b>RRED</b>	Radiant Red
<b>GGOLD</b>	Gleaming Gold
<b>GGRAY</b>	Glossy Gray
<b>BBLUE</b>	Brilliant Blue
<b>BBLACK</b>	Bold Black

**Clearance (from bottom of Glo-Ray® to top of heated surface) (GRFFB, GRFFBL only) – 14" Standard –**

<b>12"</b>	
<b>14"</b>	
<b>16"</b>	

<b>SIGN HOLD</b>	Sign Holder for GRFFL Model with Back Toggle only (requires 9"W x 5½"H x ¼"D Sign, not included) (adds 3" to height of unit)
<b>INF</b>	Infinite Control (not available on Models GR-B, UGFF, UGFFL, UGFFB or UGFFBL)
<b>HAL</b>	Halogen Bulb in lieu of standard Display Light (60 Watt)

**ACCESSORIES** (available for purchase at any time)

<b>5PLTBOX</b>	Five Pleat Hardcoated French Fry Box Ribbon – 19¼"W x 9¼"D x 2"H
<b>8PLTBAG</b>	Eight Pleat Hardcoated French Fry Bag Ribbon – 19¼"W x 9¼"D x 2"H

- FRY RIBBONS - PAGE 6**
- FOOD PANS AND TRIVETS – PAGE 7**
- COLORS AND FINISHES – PAGE 7**





## Multi-Product Warming Stations

Hatco's Multi-Product Warming Station safely holds hot fried foods at optimum serving temperatures in kitchen work areas. The unit is designed for maximum durability and performance with minimum maintenance.

- Easy access to food product
- Coated shatter-resistant incandescent lights enhance brilliant product display while safeguarding food from bulb breakage
- Six overhead ceramic heating elements are adjusted by two separate electronic infinite controls – one for the rear elements and one for the front elements
- Thermostatically-controlled base heat assures safe serving temperatures
- All stainless steel construction
- Master On/Off rocker switch



MPWS-36 with accessory plastic food pans, angled risers, fry pan and trivet

### ENDLESS POSSIBILITIES OF CONFIGURATION

Incremental spacing between portable dividers is 5/8"



Shown with optional fry bin insert and scoop holder



Shown with optional fry pans, fry ribbon on angled riser and scoop holder



Shown with optional fry pans, plastic food pans on angled riser and scoop holder



Shown with optional plastic food pans, fry ribbons on angled risers, fry pan and scoop holder

### MULTI-PRODUCT WARMING STATIONS

Model	No. of Bulbs	Dimensions W x D x H	Watts		Ship Weight
			120/208V	120/240V	
MPWS-36	4	37 <sup>3</sup> / <sub>8</sub> " x 24 <sup>1</sup> / <sub>16</sub> " x 32 <sup>3</sup> / <sub>4</sub> "	2773	2755	152 lbs.
MPWS-45	4	45 <sup>5</sup> / <sub>8</sub> " x 24 <sup>1</sup> / <sub>16</sub> " x 32 <sup>3</sup> / <sub>4</sub> "	2799	2780	170 lbs.

#### All Multi-Product Warmers Feature:

Plug: NEMA L14-20P.

Models Shipped with: 4" adjustable legs.

Cord Location: Back side, upper left corner.

### OPTION CAPACITIES


Model	Fry Pan with Trivet	Angled Risers
MPWS-36	1	3
	2	1
	0	5
MPWS-45	1	4
	2	2
	0	6

### OPTIONS (available at time of purchase only)

HAL	Halogen Bulb in lieu of standard Display Light (60 Watt)
MPWS36BIN	Full Fry Bin Insert for MPWS-36 unit only (includes Drip Tray, Perforated Insert and 3 Dividers)
MPWS45BIN	Full Fry Bin Insert for MPWS-45 unit only (includes Drip Tray, Perforated Insert and 4 Dividers)

### ACCESSORIES (available for purchase at any time)

FHS4BOX	Four Pleat Hardcoated Fry Box Ribbon – 10 <sup>3</sup> / <sub>4</sub> "W x 5"D x 1 <sup>3</sup> / <sub>4</sub> "H
FHS5BAG	Five Pleat Hardcoated Fry Bag Ribbon – 11 <sup>1</sup> / <sub>4</sub> "W x 5"D x 1 <sup>5</sup> / <sub>8</sub> "H
FHS6BB	Six Pleat Hardcoated Fry Bag/Box Combo Ribbon – 17 <sup>3</sup> / <sub>8</sub> "W x 5"D x 1 <sup>3</sup> / <sub>4</sub> "H
5BH	5" Side-by-Side Bag Holder
FHS-SH	Scoop Holder
MPWS-RISER	Angled Riser
MPWS-PT	Fry Pan and Trivet



### FOOD PANS AND TRIVETS – PAGE 7

ALL CERAMIC AND BLANKET HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.

**MPWS - XX**  
Multi-Product ——— Width (inches)  
Warming Station ———

## Glo-Ray® Fry Stations

Hatco offers convenient Glo-Ray® Fry Stations that can be placed where they are most needed – next to a fryer! Glo-Ray heat technology offers the ability to keep fried foods at optimum temperatures, ready to serve, without cooking or drying them out.

- Various hardcoated fry ribbons stage boxed or bagged products for quick-service areas
- Thermostatically-controlled heated base maintains uniform holding temperatures from below (GRFHS series)
- Portable models including pass-through style (GRFHS series)
- Sectional divider permits holding of multiple products simultaneously (GRFHS series)
- Ceramic elements and slotted holding bin prevent soggy product (GRFHS series)
- Accessory hardcoated fry ribbons absorb more radiant heat than stainless steel, can be up to 15° to 20°F hotter (GRFHS series)
- Built-in top heat source features a swing-away post mount (GRFSC, GRFS series)
- GRFSC series available with ceramic heating element, while the GRFS series has metal sheathed or ceramic heating elements
- Variety of clearances (GRFS series)
- Power toggle switch and cord and plug (GRFS series)
- Optional infinite control (GRFS series)

**GRFHS-21** with optional right-hand cutout for fry basket and accessory fry ribbon (left-hand cutout also available)



GRFHS-16



GRFHS-PTT21



GRFSC-18  
Swing-away  
post mount

### PORTABLE FRY HOLDING STATIONS

Model	No. of Bulbs	Dimensions W x D x H	Voltage		Watts	Ship Weight
			Single Phase Only			
GRFHS-16	2	16 <sup>3</sup> / <sub>8</sub> " x 23 <sup>1</sup> / <sub>4</sub> " x 22 <sup>3</sup> / <sub>4</sub> "	120		1090	51 lbs.
GRFHS-21	2	21 <sup>3</sup> / <sub>8</sub> " x 27 <sup>5</sup> / <sub>8</sub> " x 22 <sup>3</sup> / <sub>4</sub> "	120		1200	63 lbs.
GRFHS-22	2	22" x 18 <sup>3</sup> / <sub>8</sub> " x 17 <sup>1</sup> / <sub>4</sub> "	120		1030	44 lbs.
GRFHS-26	2	26 <sup>1</sup> / <sub>8</sub> " x 22 <sup>7</sup> / <sub>8</sub> " x 22 <sup>3</sup> / <sub>4</sub> "	120		1200	66 lbs.
GRFHS-PT16	2	21 <sup>5</sup> / <sub>8</sub> " x 24" x 24 <sup>7</sup> / <sub>8</sub> "	120		1090	60 lbs.
GRFHS-PT26	2	29 <sup>1</sup> / <sub>2</sub> " x 22 <sup>3</sup> / <sub>4</sub> " x 24 <sup>3</sup> / <sub>4</sub> "	120		1440	64 lbs.
GRFHS-PT26 <sup>■</sup>	2	29 <sup>1</sup> / <sub>2</sub> " x 22 <sup>3</sup> / <sub>4</sub> " x 26 <sup>3</sup> / <sub>4</sub> "	120		1440	64 lbs.
GRFHS-PTT21	2	22 <sup>5</sup> / <sub>8</sub> " x 38" x 22 <sup>5</sup> / <sub>8</sub> "	120		1740	100 lbs.

■ 6" deep base in lieu of standard 4" base.

#### All Fry Holding Stations Feature:

Plug: NEMA 5-15P. (GRFHS-PTT21 uses NEMA 5-20P in Canada).

Models Shipped with: One slotted holding bin and one sectional divider.

Cord Location: GRFHS-16, -21, -22, -26, -PT16, -PT26: Back side, lower right corner.

GRFHS-PTT21: Lower right-hand side.

ALL CERAMIC AND BLANKET HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY® METAL SHEATHED HEATING ELEMENTS.

### FRY STATION WARMERS

Model	No. of Bulbs	Dimensions W x D x H	Voltage		Watts	Ship Weight
			Single Phase Only			
GRFSC-18 <sup>□</sup>	–	6" x 18" x 19 <sup>1</sup> / <sub>4</sub> "-22 <sup>1</sup> / <sub>2</sub> "	120		750	11 lbs.
GRFSC-18 <sup>†</sup>	2	9" x 18" x 19 <sup>1</sup> / <sub>4</sub> "-22 <sup>1</sup> / <sub>2</sub> "	120		870	13 lbs.
GRFSCR-18 <sup>†</sup>	–	6" x 18" x 19 <sup>1</sup> / <sub>4</sub> "-22 <sup>1</sup> / <sub>2</sub> "	120		750	12 lbs.
GRFSLR-18 <sup>□†</sup>	2	9" x 18" x 19 <sup>1</sup> / <sub>4</sub> "-22 <sup>1</sup> / <sub>2</sub> "	120		870	14 lbs.
GRFS-24 <sup>□</sup>	–	6" x 24" x 12 <sup>1</sup> / <sub>2</sub> "-15 <sup>1</sup> / <sub>2</sub> "	120		500	10 lbs.
GRFSL-24 <sup>□</sup>	2	9" x 24" x 12 <sup>1</sup> / <sub>2</sub> "-15 <sup>1</sup> / <sub>2</sub> "	120		620	13 lbs.
GRFSR-24 <sup>□†</sup>	–	6" x 24" x 12 <sup>1</sup> / <sub>2</sub> "-15 <sup>1</sup> / <sub>2</sub> "	120		500	10 lbs.
GRFSLR-24 <sup>□†</sup>	2	9" x 24" x 12 <sup>1</sup> / <sub>2</sub> "-15 <sup>1</sup> / <sub>2</sub> "	120		620	13 lbs.

□ Specify clearance of 16<sup>3</sup>/<sub>4</sub>", 18" (standard) or 20" when ordering.

† Fry Station warmer without cord and plug, UL Recognized. Supply wires through mounting post.

□ Specify clearance of 10", 11", 12" or 13" (standard) when ordering.


#### All Fry Station Warmers Feature:

Plug: NEMA 5-15P.

Toggle Switch Location: Ceramic Heating Element Models: Back of unit.

Metal Sheathed Heating Element Models: Front of unit.

Cord Location: GRFSC-18, GRFSL-18, GRFS-24 and GRFSL-24: Back, upper middle.




GRFS, GRFSL, GRFSC, GRFSC-18 with swing-away post mount and cord with plug

ALL CERAMIC HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.


ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY® METAL SHEATHED HEATING ELEMENTS.

### OPTIONS AND ACCESSORIES – PAGE 6





## Fry Station Solutions



### OPTIONS (available at time of purchase only)

<b>FHS-CUT</b>	Right- or Left-Hand Cutout for Fry Basket (must specify side at time of order) (adds 1 <sup>1</sup> / <sub>16</sub> " to width of unit) (GRFHS-16, -21, -26 Models only)
<b>INF</b>	Infinite Control (metal sheathed GRFS Models only)
<b>HAL</b>	Halogen Bulb in lieu of standard Display Light (60 Watt)

### ACCESSORIES (available for purchase at any time)

<b>5PLTBOX</b>	Five Pleat Hardcoated French Fry Box Ribbon – 19 <sup>1</sup> / <sub>4</sub> "W x 9 <sup>1</sup> / <sub>4</sub> "D x 2"H
<b>8PLTBAG</b>	Eight Pleat Hardcoated French Fry Bag Ribbon – 19 <sup>1</sup> / <sub>4</sub> "W x 9 <sup>1</sup> / <sub>4</sub> "D x 2"H
<b>FHS4BOX</b>	Four Pleat Hardcoated Fry Box Ribbon (GRFHS-16, -26) – 10 <sup>3</sup> / <sub>4</sub> "W x 5"D x 1 <sup>3</sup> / <sub>4</sub> "H
<b>FHS5BAG</b>	Five Pleat Hardcoated Fry Bag Ribbon (GRFHS-16, -26) – 11 <sup>1</sup> / <sub>4</sub> "W x 5"D x 1 <sup>7</sup> / <sub>8</sub> "H
<b>FHS5BOX</b>	Five Pleat Hardcoated Fry Box Ribbon (GRFHS-21) – 17 <sup>1</sup> / <sub>2</sub> "W x 5"D x 1 <sup>7</sup> / <sub>8</sub> "H
<b>FHS6BB</b>	Six Pleat Hardcoated Fry Bag/Box Combo Ribbon (GRFHS-21) – 17 <sup>3</sup> / <sub>8</sub> "W x 5"D x 1 <sup>3</sup> / <sub>4</sub> "H
<b>FHS7BAG</b>	Seven Pleat Hardcoated Fry Bag Ribbon (GRFHS-21) – 17 <sup>7</sup> / <sub>8</sub> "W x 5"D x 1 <sup>7</sup> / <sub>8</sub> "H
<b>PT26-8BOX</b>	Eight Pleat Hardcoated Fry Box Ribbon (GRFHS-PT26 and -PTT21) – 21 <sup>1</sup> / <sub>2</sub> "W x 5"D x 1 <sup>3</sup> / <sub>4</sub> "H
<b>PT26-10BAG</b>	Ten Pleat Hardcoated Fry Bag Ribbon (GRFHS-PT26 and -PTT21) – 22 <sup>1</sup> / <sub>2</sub> "W x 5"D x 1 <sup>7</sup> / <sub>8</sub> "H
<b>PT26-5BAG4BOX</b>	Nine Pleat Hardcoated Fry Bag/Box Combo Ribbon (GRFHS-PT26 and -PTT21) – 22"W x 5"D x 1 <sup>7</sup> / <sub>8</sub> "H
<b>5BH</b>	5" Side-by-Side Bag Holder (GRFHS-21)
<b>5PBH</b>	5" Piggy Back Bag Holder (GRFHS-21 and PTT21)
<b>FHS-SH</b>	Scoop Holder (adds 1 <sup>1</sup> / <sub>4</sub> " to width of unit) (one standard on GRFHS-PT26, -PTT21 Models, not available for GRFHS-22)

#### Sectional Dividers

<b>FHSDIV1</b>	(GRFHS-16, -26 and -PT16) – 16"W X 3 <sup>1</sup> / <sub>4</sub> "H
<b>FHSDIV2</b>	(GRFHS-21) – 21 <sup>1</sup> / <sub>2</sub> "W X 3 <sup>1</sup> / <sub>4</sub> "H
<b>FHSDIV3</b>	(GRFHS-PT26 4" base and -PTT21) – 23 <sup>1</sup> / <sub>2</sub> "W X 3 <sup>1</sup> / <sub>4</sub> "H
<b>FHSDIV4</b>	(GRFHS-22) – 12 <sup>1</sup> / <sub>4</sub> "W X 3 <sup>1</sup> / <sub>4</sub> "H
<b>FHSDIV5</b>	(GRFHS-PT26 6" base) – 22 <sup>1</sup> / <sub>2</sub> "W X 3 <sup>1</sup> / <sub>4</sub> "H

### FOOD PANS AND TRIVETS – PAGE 7



## Food Pans And Trivets

### FOOD PANS

Model	Description	Dimensions
ALUM PAN	Half-Size Sheet Pan	18"W x 13"D
ST PAN 1/3	Third-Size Stainless Steel Pan	12¾"W x 6⅞"D x 2½"H
ST PAN 1/2	Half-Size Stainless Steel Pan	12¾"W x 10⅞"D x 2½"H
ST PAN 2	Full Size Stainless Steel Pan	12¾"W x 20¾"D x 2½"H
ST PAN 4	Full Size Stainless Steel Pan	12¾"W x 20¾"D x 4"H



ALUM PAN



ST PANS  
ST PAN 1/3  
ST PAN 1/2  
ST PAN 2  
ST PAN 4

### PLASTIC FOOD PANS


Model	Description	Dimensions
PL PAN 1/2	Half-Size Plastic Food Pan	12¾"W x 10½"D x 2½"H
PL PAN 1/4	Quarter-Size Plastic Food Pan	6⅞"W x 10½"D x 2½"H
PL LID 1/2	Half-Size Plastic Pan Lid	
PL LID 1/4	Quarter-Size Plastic Pan Lid	



PL PAN 1/4 with  
PL LID 1/4



PL PAN 1/2 with  
PL LID 1/2



TRIVETS  
TRIVET (1/2)SS  
TRIVET SS

### TRIVETS

Model	Description	Dimensions
<b>Wire Trivets Stainless –</b>		
TRIVET (1/2)SS	Half-Size	10⅜"W x 7⅞"D
TRIVET SS	Full Size	10⅞"W x 18"D
<b>Wire Trivets Plated –</b>		
TRIVET (1/2)	Half-Size	10⅜"W x 7⅞"D
TRIVET	Full Size	10⅞"W x 18"D

## Paint Chip Sample Colors

### DESIGNER COLORS



Warm Red

Black

Gray  
Granite

White  
Granite

Navy  
Blue

Hunter  
Green

Antique  
Copper

### GLOSS FINISHES



Gleaming  
Gold

Glossy  
Gray

Bold  
Black

Radiant  
Red

Brilliant  
Blue

Colors are a representation and may not exactly match our colors. Consult factory for possible color matching options on these colors. Non-standard colors are non-returnable.

To order a Hatco Paint Chip & Stone Sample Colors Sheet, visit [www.hatcocorp.com](http://www.hatcocorp.com) / Order Literature / Sales Literature / Sell Sheets.



Scan with web-enabled  
mobile device to visit  
[www.hatcocorp.com](http://www.hatcocorp.com)



**Hatco Corporation**

P.O. Box 340500 | Milwaukee WI 53234-0500 USA  
800-558-0607 | 414-671-6350 | Fax: 800-543-7521  
[www.hatcocorp.com](http://www.hatcocorp.com) | [equipsales@hatcocorp.com](mailto:equipsales@hatcocorp.com)